

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: MEGAPACK PRESPRAY

SECTION 1: COMPANY AND PRODUCT IDENTIFICATION

Product Name: Megapack Prespray

Manufactured By:

Groom Industries

4282 W 590 W

Salt Lake City, Utah 84123

Company Phone Number: 800-397-3759

Emergency Phone Number: 1-800-535-5053 (Infotrac)

Date Prepared: 3/1/09

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)

Fire: 0 Health: 1 Reactivity: 0

SECTION 2: INGREDIENTS

<u>PRINCIPLE HAZARDOUS INGREDIENTS:</u>	<u>TLV</u>	<u>OSHA PEL</u>
Glycol Ether EB (CAS # 111-76-2)	2 mg/m ³	2 mg/m ³
Trisodium Phosphate (CAS # 7601-54-9)	3mg/m ³	5 mg/m ³

SECTION 3: HEALTH HAZARD INFORMATION

Route(s) of entry Eyes? yes Skin? Yes Inhalation? Yes Ingestion? Yes
Health Hazards: Eyes – May cause irritaion
 Skin – May cause irritation
 Inhalation – Excessive exposure may cause respiratory irritation
 Ingestion – Large amounts may be harmful
Carcinogenicity: NTP? No OSHA? No IARC Monograph?No

SECTION 4: EMERGENCY AND FIRST AID PROCEDURES

Eyes..... Flush thoroughly with water for 15 minutes. Get medical attention.
Skin..... Flush thoroughly with water for 15 minutes. Get medical attention.
Inhalation... Move to fresh air. Get medical attention if irritation occurs.
Ingestion... Do not induce al vomit unless directed to do so by medical personnel. Get
medical attention if irritation occurs.

SECTION 5: FIRE, EXPLOSION & REACTIVITY DATA

Flash Point: None up to 200 °F

Extinguishing Media: Product is not flammable. Use water, carbon dioxide, dry powder or other media appropriate for materials actually involved in fire.

MATERIAL SAFETY DATA SHEET
PRODUCT NAME: MEGAPACK PRESPRAY CC500GL

Page 2 of 4

Special Fire Fighting Procedures: None
Unusual Fire and Explosion Hazards: None

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Extract liquid with cleaning machine or absorb liquid on inert material such as paper, vermiculite, floor absorbent, and dispose of in accordance with local regulations.

LARGE SPILL: Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Stop spill at source, contain area of spill to prevent spreading, pump liquid to salvage tank. Remaining liquid may be absorbed with inert material such as sand, clay, earth, or floor absorbent, and shoveled into containers. Prevent run-off to sewers, streams, or other bodies of water. If run-off occurs, notify the proper authorities as required that a spill has occurred.

SECTION 7. PRECAUTIONS FOR HANDLING AND STORAGE

Store out of reach of children. Keep container closed. Store in a cool, dry location. Avoid freezing or extended storage in high temperatures.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Airborne Exposure Limits..... None established.
Ventilation System..... Room ventilation is normally satisfactory. Mechanical assist may be required when vapors or mist are generated..
Personal Respirators..... For conditions of use where exposure to dust or mist is apparent and engineering controls are not feasible, a particulate respirator (NIOSH approved) may be worn.
Skin Protection.....Wear protective gloves and clean body-covering clothing.
Eye Protection.....Use chemical safety goggles.

SECTION 9: PHYSICAL DATA

Boilig Point: 212°	Specific Gravity (H ₂ O= 1).....N/D
Vapor Pressure(mmHg.).....N/D	Percent Volatile by Volume.....N/D
Vapor Density(AIR=1).....N/D	PH(1% Solution).....(9.2-9.5)
Solubility in Water.....Complete	
Appearance & Odor.....Milky amber viscous liquid with mint fragrance	

SECTION 10. STABILITY AND REACTIVITY

Stability: Stable under ordinary conditions of use and storage.
Hazardous Decomposition or Byproducts: Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids and other unidentified thermal decomposition products from this product or its packaging.
Hazardous Polymerization: Will not occur.
Incompatibilities: Acid materials and strong oxidizing materials.
Conditions to Avoid: None known

SECTION 11. TOXICOLOGICAL INFORMATION

MATERIAL SAFETY DATA SHEET
PRODUCT NAME: MEGAPACK PRESPRAY CC500GL

Page 3 of 4

Trisodium Phosphate - Oral Rat LD50: 6500 mg.kg., practically non-toxic Dermal Rabbit LD50:>7940 mg/kg; practically non-toxic Eye Rabbit (4 hr. exposure) corrosive. Skin rabbit moderately irritating.

Glycol Ether EB - Oral Rat LD50: 500- 3000 mg.kg Dermal Rabbit LD50: 400 mg/kg; Inhalation Rat LC50: 450 ppm. (4 hours)

SECTION 12. ECOLOGICAL INFORMATION

Environmental Fate.....No information found.

Environmental Toxicity..... No information found.

SECTION 13. DISPOSAL CONSIDERATIONS

Do not dispose of on the land, in surface waters, sewers or in storm drains. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

SECTION 14. TRANSPORTATION

T.D.G. Classification.....Not regulated under TDG

D.O.T. Classification.....Not regulated under DOT

SECTION 15. REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA Status: The intentional components of this product are listed.

CERCLA Reportable Quantities – 40CFR355 APPENDIX A: None.

SARA 313 – 40CFR372.65: Glycol Ether EB (CAS # 111-76-2)

Hazardous Air Pollutants: : Glycol Ether EB (CAS # 111-76-2)

OSHA Workplace Air Contaminants: : Glycol Ether EB (CAS # 111-76-2)

STATE AND LOCAL REGULATIONS

MASSACHUSETTS:

Glycol Ether EB (CAS # 111-76-2) Hazardous Substances List

PENNSYLVANIA:

Glycol Ether EB (CAS # 111-76-2) Right to Know Lists of Hazardous Substances

TEXAS:

Glycol Ether EB (CAS # 111-76-2) Texas Air Contaminants

SECTION 16. OTHER INFORMATION

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. GROOM INDUSTRIES MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

MATERIAL SAFETY DATA SHEET
PRODUCT NAME: MEGAPACK PRESPRAY CC500GL
Page 4 of 4

N/A= Not applicable N/D= Not determined N/E= Not established